

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	12703	((228/4.5,180.5) or (219/56.21, 56.22) or (438/612-614,617) or (257/738,777,784)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/28 13:28
L5	430	3 and wire near (loop or kink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:39
L6	47	5 and loop and (kink or kink\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:40
L7	17	6 and (curve or curv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:40
L8	20	6 and wire near (dia or diam or diameter or inch or micron or micrometer or "mu.m")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:41
L9	130	5 and (ball or base) near (portion or part or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:42
L10	2	9 and wire near (horizontal or horizontal\$4 or transverse or transverse\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:33
L11	2	9 and (wire or neck or loop) near (horizontal or horizontal\$4 or transverse or transverse\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:56

EAST Search History

L12	13	9 and (wire or neck or loop) near (curve or curv\$4 or arc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:33
L13	12	12 and (twist or twist\$4 or bend or bent or bend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:43
L14	10	5 and edmondson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:35
L15	23701	wire near (loop or kink)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:39
L18	751	15 and loop and (kink or kink\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:40
L19	498	18 and (curve or curv\$4 or twist or twist\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:41
L20	92	19 and (curve or curv\$4 or twist or twist\$4) near wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:43
L21	40	20 and wire near (dia or diam or diameter or inch or micron or micrometer or "mu.m")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:42

EAST Search History

L22	80	18 and (ball or base) near (portion or part or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:42
L23	101	18 and (ball or base or neck) near (portion or part or wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:42
L24	6	23 and (wire or neck or loop) near (horizontal or horizontal\$4 or transverse or transverse\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:42
L25	4	24 and wire near (dia or diam or diameter or inch or micron or micrometer or "mu.m")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:43
L26	11	23 and (curve or curv\$4 or twist or twist\$4) near wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:43
L27	11	26 and (twist or twist\$4 or bend or bent or bend\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:43
L28	3	27 and wire near (dia or diam or diameter or inch or micron or micrometer or "mu.m")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/28 13:53